MATERIALS SCIENCE AND ENGINEERING A VOLUME 177, NUMBERS 1–2, APRIL 15, 1994

Contents

Effects of strain rate and temperature on deformation behaviour of IN 718 during high temperature deformation 1
L. X. Zhou and T. N. Baker (Glasgow, UK)

Degradation of the strength of glass after light contact with other materials 11
A. Al-Amri and J. T. Evans (Newcastle upon Type, UK)

Effect of reinforcement on age hardening of cast 6061 Al–SiC and 6061 Al–Al_2O_3 particulate composites. 19
L. Salvo and M. Suéry (St. Martin d'Hères, France)

Cyclic stress–strain response of polycrystalline nickel. 29
D. J. Morrison and V. Chopra (Potsdam, NY, USA)

Effect of environment on the rupture behavior of alloys 909 and 718 43
R. W. Hayes (Northridge, CA, USA), D. F. Smith (Huntington, WV, USA), E. A. Wanner (Reading, PA, USA) and J. C. Earthman (Irvine, CA, USA)

Experimental and theoretical investigation of the residual stress distribution in brazed ceramic–steel components 55
L. Pintschovius, N. Pyka, R. Kußmaul, D. Munz, B. Eigenmann and B. Scholtes (Karlsruhe, Germany)

Effects of aging on the tensile and fatigue behaviour of the near-α Ti-1100 at room temperature and 593 °C 63
A. Madsen and H. Ghonem (Kingston, RI, USA)

An investigation of creep behaviour of a low carbon 18Cr–12Ni (304L type) stainless steel at 873–1173 K 75
V. Šustek, M. Pahutová and J. Čadek (Brno, Czech Republic)

Strengthening of discontinuous reinforced NiAl composites 83
L. Wang, N. Beck and R. J. Arsenault (College Park, MD, USA)

Creep behavior of molybdenum and a molybdenum–hafnium carbide alloy from 1600 to 2100 K 89
A. Luo, J. J. Park, D. L. Jacobson (Tempe, AZ, USA), B. H. Tsao and M. L. Ramalingam (Dayton, OH, USA)

Tensile damage development in fiber-reinforced ceramic matrix composites 95
K. A. Dannemann and J. F. Mandell (Cambridge, MA, USA)

Evaluation of stresses in Ni–NiO and Cr–Cr_2O_3 during high temperature oxidation by *in-situ* X-ray diffraction 115
J. G. Geodjen, J. H. Stout, Q. Guo and D. A. Shores (Minneapolis, MN, USA)

An interactive simulation technique to determine the internal stress states in fiber reinforced metal matrix composites 125
H. Ghonem, Y. Wen and D. Zheng (Kingston, RI, USA)

On the formation of Al_2O_3–Al composite by directed oxidation of molten metals. 135
W. Tang and B. Bergman (Stockholm, Sweden)

Processing maps for hot working of commercial grade wrought stainless steel type AISI 304 143
S. Venugopal, S. L. Mannan (Kalpakkam, India) and Y. V. R. K. Prasad (Bangalore, India)

Microstructure and fracture behavior of SiC-platelet-reinforced Si_3N_4 matrix composites. 151
B. T. Lee, G. Pezzotti and K. Hiraga (Sendai, Japan)

Analysis of hydrogen atom transport in a two-phase alloy. 161
A. Turnbull and R. B. Hutchings (Teddington, UK)

Interfacial reactions and age hardening in Al–Mg–Si metal matrix composites reinforced with SiC particles 173
L. Salvo, G. L'Espérance, M. Suéry and J. G. Legoux (St. Martin d'Hères, France)

CONTENTS (*continued*)

Processing of an α-2 aluminide alloy, Ti–24Al–11Nb. 185
P. K. Sagar, D. Banerjee (Hyderabad, India) and Y. V. R. K. Prasad (Bangalore, India)

Thermal stability of dispersoids in ferritic oxide-dispersion-strengthened alloys 199
P. Krautwasser, A. Czyrska-Filemonowicz, M. Widera and F. Carsughi (Jülich, Germany)

Temperature-induced phase development in titanium-implanted silicon carbide 209
R. G. Vardiman (Washington, DC, USA)

Atomic short-range ordering in Au–Fe alloys: a resistometric study 217
M. Migschitz, F. Langmayr and W. Pfeiler (Vienna, Austria)

Thermal cyclic response of laser-glazed plasma-sprayed ZrO_2–19.5wt.%Y_2O_3/Ni–22Cr–10Al–1Y thermal barrier coatings. . . 227
H. L. Tsai and P. C. Tsai (Taipei, Taiwan)

Embedded-atom/Monte Carlo study of short-range order in nitrogen strengthened Fe–Ni–Cr austenite 233
M. Grujicic (Clemson, SC, USA)

Nitrogen in pressure-diffused powder iron alloys 243
J. C. Rawers (Albany, OR, USA), K. Frisk (Stockholm, Sweden) and D. Govier (Albany, OR, USA)

Correlation of microstructure variability and local stress field in two-phase materials 253
R. Pyrz (Aalborg, Denmark)

Ultrasonic and neutron diffraction characterization of texture in an inhomogeneously rolled titanium plate. 261
R. B. Thompson, S. S. Lee, Y. Li (Ames, IA, USA) and C. M. Sayers (Didcot, UK)

Whisker alignment by slip extrusion. 269
M. Farkash and D. G. Brandon (Haifa, Israel)

SiC-whisker-reinforced ceramics with modulated microstructures 277
M. Farkash, N. Shafry and D. G. Brandon (Haifa, Israel)

LETTERS

Investigation of fractal dimensions of hydrogen-induced brittle fracture of titanium aluminide L1
Y. Zhang, Y. B. Wang, L.J. Qiao, W. Y. Chu and C. M. Hsiao (Beijing, China)

Evaluation of fracture toughness of duplex microstructures by an indentation technique L7
F. Ebrahimi, B. J. G. De Aragao (Gainesville, FL, USA) and J. R. Castillo-Gomez (Maracaibo, Venezuela)

Microfractographic aspects of stress corrosion cracking of Inconel 600 in a pressurized water reactor environment L11
T. Magnin (Villeneuve d'Ascq, France), D. Noel (Moret-sur-Loing, France) and R. Rios (Villeneuve d'Ascq, France)

AUTHOR INDEX 283

SUBJECT INDEX 285